

Large Capacity Drying Ovens

Designed and manufactured in Australia by Thermoline

ABN: 80 000 859 129

Head Office: 10-12 Ross Place Wetherill Park NSW 2164 Australia **Phone:** +61 2 9604 3911

Email: hello@thermoline.com.au **Web:** www.thermoline.com.au



Large Capacity Drying Ovens Designed and Manufactured by Thermoline

Thermoline has designed and manufactured these large capacity drying ovens with the assistance, and in consultation with the Department of Primary Industries, for the removal of moisture in large amounts of soils, however, this large dehydrating oven will perform equally when loaded with other materials or samples.

The TD-2400 is the largest drying oven in the Thermoline catalogue and features a huge 2400L capacity over 26 shelf or tray levels. Each level has the option of a single large open wire shelf, or either three solid or perforated trays (78 trays in total). The TD-1200 is the one door variant with capacity for 13 shelves or 39 trays.

The Thermoline TD-1200 and TD-2400 drying ovens are designed and manufactured in Australia. Since 1970, Thermoline Ovens have been the proven industry standard. Our Ovens appear in thousands of labs across the country and have been trusted for all general or critical research applications.

Proudly product "This Australian Made."





"Built to last using the best materials."

Thermoline uses the best materials that are able to withstand prolonged use and maintain their structural integrity. Materials such as Galvanised Steel, Aluminium, Zinc and Stainless Steel are commonly used in products that are subject to wear and tear. Bene ts of these materials include:

- Corrosion resistance.
- Lightweight.
- High load stress resistance.
- Low Maintenance.

Thermoline have been manufacturing and distributing high quality laboratory and scienti c testing equipment since 1970. Over this time, Thermoline has grown to be a leading brand in the science industry.

Our difference is

industry leading equipment and service

Large Capacity Drying Ovens

Designed and Manufactured by Thermoline

Australian Made:

This range is designed and manufactured by Thermoline. We proudly promote and support the Australian Made logo.

Proven Reliability:

With Thermoline's long standing track record of consistent performance through the use of durable materials and rigorous testing, you can trust in our products dependable performance.

Star X 10" Touchscreen:

The STAR X touchscreen control system offers easy-to-program control of temperature. The STAR X logs performance data for as long as 800 days. Operators can also download the logged data to a USB and then view data via an Excel spreadsheet.

Shelf and Tray options:

Three standard options are available depending on your application:

- Open wire stainless steel shelves
- 2. Perforated stainless steel trays
- Solid stainless steel trays

Fan Forced Air Circulation:

Fan-forced air circulation is a process of circulating air using a fan to distribute it evenly throughout the space. Thermoline's horizontal air ow blows dry air across each shelf for effective drying anywhere inside the oven. Heated air is blown down the rear of the oven, where it is then forced over the shelf spaces via a perforated rear wall.

Industrial GradeCentrifugal Fan Motors:

Three Industrial 3-phase motors are used for air circulation. These motors are robust and reliable, ensuring long lifespans and the most e cient method for moving large volumes of air throughout such a large workspace.

Stainless Steel Interior:

Stainless steel is durable, easy to clean and resistant to corrosion, making it the perfect choice for high-humidity environments.

316 Stainless steel is used here to ensure the most corrosive-resistant liner.

"Providing the industry standard since 1970."

Since 1970, Thermoline lab equipment has been the proven industry standard. Our products appear in thousands of labs across the country and have been trusted for all general or critical research applications.

Warranty:

Thermoline offers a comprehensive two years parts and labour warranty on all Australian Made products.


















Large Capacity Drying Ovens Designed and Manufactured by Thermoline





Dimensions

TD-1200 TD-2400 **External**

WxDxH (mm) 895x1235x2305 1785x1235x2305

Internal


WxDxH (mm) 760x995x1590 1650x995x1590 2 x 760mm openings

TD-1200/TD-2400 Clearance

Front (mm) 900

Back (mm) 100

100 Sides (mm)





See our Laboratory Oven Range. 80L, 150L, 250L, 500L, 700L and 680L

Large Capacity Drying Ovens Designed and Manufactured by Thermoline

Technical Specifications	TD-1200	TD-2400
Temperature Range	Ambient +10°C to 150°C	
Temperature Uniformity	+/-2°C to 100°C	
Doors	1	2
Shelf Positions	100mm spacing between levels	
Electrical	15A / 3 Phase + N + E / 415V (20A 5 pin 3 phase outlet required)	
Nominal Capacity	1200L 13 Shelves or 39 Trays	2400L 26 Shelves or 78 Trays
Weight	350kg	480kg
Features		
Lockable Castors	✓	✓
Internal Fans	✓	✓
Star X Touch Screen	•	✓
Ethernet Port	•	✓
Download data to USB	✓	✓
Solid Doors	•	✓
BMS	•	✓
Fibreglass Insulation	•	✓
Safety		
Over Temperature Safety	•	✓
Over Current Protection	•	✓
Options		
Open Wire Shelves	Stainless steel shelves are 900x753mm. One shelves per level per door.	
Perforated Trays	Stainless steel trays are 300x753mm with 50mm depth. Standard perforations are 20mm diameter at 80mm centres but can be customised to suit. Three trays per level per door.	
Solid Trays	Stainless steel trays are 300x753mm with 50mm depth. Three trays per level per door	
Door Locks	Door latches can be replaced with key lockable versions	



We are proudly Australian owned

We will continue to invest in Australian manufacturing.

